

# Cambridge O Level

## CHEMISTRY

Paper 1 Multiple Choice

October/November 2023 1 hour

5070/11

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

## INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

#### INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has 16 pages. Any blank pages are indicated.

- 1 In which changes do the particles move further apart?
  - 1 A gas is heated from  $0 \degree C$  to  $25 \degree C$ .
  - 2 Pressure is applied to a gas at a constant temperature.
  - 3 Steam condenses to form water.
  - 4 Water evaporates at room temperature.

**A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4

2 Data about two compounds is given. Both compounds have a simple molecular structure.

compound	melting point /°C	boiling point /°C
H <sub>2</sub> S	-85	61
PCl <sub>3</sub>	-112	76

Two bottles are placed, close together, inside a large container at a temperature of 90 °C. One bottle contains 1.0 g of  $H_2S$ , the other bottle contains 1.0 g of  $PCl_3$ .

A detector is placed in the container 2.0 m away from the two bottles. The two bottles are opened at the same time.

Which row is correct?

	compound that reaches detector first	explanation
Α	$H_2S$	gases diffuse faster than liquids
в	$H_2S$	$H_2S$ has a lower $M_r$ than $PCl_3$
С	PCl <sub>3</sub>	gases diffuse faster than liquids
D	PCl <sub>3</sub>	$PCl_3$ has a lower $M_r$ than $H_2S$

**3** Substances can be elements, compounds or mixtures.

Which row is correct?

	element	compound	mixture
Α	copper	brass	zinc
в	methane	carbon	petroleum
С	nitrogen	carbon dioxide	water vapour
D	oxygen	glucose	air

**4** The letters X, Y and Z represent different atoms.

 $^{40}_{19}X$   $^{39}_{19}Y$   $^{40}_{20}Z$ 

Which statement is correct?

- **A** X and Y are the same element.
- **B** X and Z are the same element.
- **C** X has more protons than Y.
- **D** Z has more neutrons than Y.
- **5** A student makes three statements.
  - 1 Calcium ions have a 2+ charge and oxide ions have a 2– charge.
  - 2 Magnesium ions and oxide ions have the same electronic configuration as neon.
  - 3 Calcium ions have three full electron shells and magnesium ions have two full electron shells.

Which statements are correct?

**A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

- **6** Four statements about graphite, diamond and silicon(IV) oxide are listed.
  - 1 Diamond and silicon(IV) oxide are both very hard and have similar structures.
  - 2 In diamond, each carbon atom is joined to four other carbon atoms.
  - 3 Silicon(IV) oxide forms a giant structure of silicon and oxygen atoms.
  - 4 Diamond and graphite both conduct electricity because they are both forms of carbon.

Which statements are correct?

**A** 1, 2 and 3 **B** 1, 2 and 4 **C** 1, 3 and 4 **D** 2, 3 and 4

7 Which row is correct?

	compound	molecular formula
Α	ammonia	$NH_4$
В	ethene	$C_2H_6$
С	methanol	CH₄O
D	propanoic acid	$C_3H_8O_2$

**8** Compound Y is the only substance formed when 500 cm<sup>3</sup> of ammonia reacts with 250 cm<sup>3</sup> of carbon dioxide. All measurements are at r.t.p.

What is the formula of Y?

- A  $(NH_4)_2CO_3$
- B NH<sub>2</sub>COONH<sub>4</sub>
- **C** (NH<sub>2</sub>)<sub>2</sub>CO
- **D** NH<sub>4</sub>COONH<sub>4</sub>

9 How many sodium ions are there in 30 g of sodium sulfate?

**A**  $1.52 \times 10^{23}$  **B**  $2.54 \times 10^{23}$  **C**  $6.02 \times 10^{23}$  **D**  $1.20 \times 10^{24}$ 

**10** Three compounds are listed.

copper(II) nitrate, Cu(NO<sub>3</sub>)<sub>2</sub>

zinc sulfate, ZnSO<sub>4</sub>

sodium thiosulfate,  $Na_2S_2O_3$ 

Which row shows the element that is present in the greatest percentage by mass in each compound?

[relative formula masses, *M*<sub>r</sub>: Cu(NO<sub>3</sub>)<sub>2</sub>, 188; ZnSO<sub>4</sub>, 161; Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>, 158]

	copper(II) nitrate	zinc sulfate	sodium thiosulfate
Α	copper	oxygen	oxygen
в	copper	oxygen	sulfur
С	oxygen	zinc	sodium
D	oxygen	zinc	sulfur

**11** The complete combustion of 20 cm<sup>3</sup> of a gaseous alkane, X, requires 130 cm<sup>3</sup> of oxygen. Both volumes are measured at r.t.p.

What could be the identity of X?

- A butane
- B ethane
- C methane
- D propane

What is the equation for the reaction occurring at the anode?

- **A** Cu  $\rightarrow$  Cu<sup>2+</sup> + 2e<sup>-</sup>
- $\textbf{B} \quad \text{Cu}^{2\text{+}} \ \textbf{+} \ 2\text{e}^{\text{-}} \ \textbf{\rightarrow} \ \text{Cu}$
- $\textbf{C} \quad 4OH^{-} \rightarrow O_2 + 2H_2O + 4e^{-}$
- **D**  $2SO_4^{2-}$  +  $2H_2O \rightarrow 2H_2SO_4$  +  $O_2$  +  $4e^-$

**13** Three statements about fuel cells are given.


- 1 A hydrogen-oxygen fuel cell requires a continuous input of fuel and oxygen.
- 2 In a hydrogen-oxygen fuel cell, hydrogen is burned in oxygen to produce electricity.
- 3 When a hydrogen-oxygen fuel cell is operating, water is the only chemical product.

Which statements are correct?

- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- **14** Under certain conditions, nitrogen reacts with oxygen to form  $N_2O$ .

$$2N_2(g) + O_2(g) \rightleftharpoons 2N_2O(g)$$

The reaction pathway diagram is shown.



progress of reaction

What is the activation energy of the reverse reaction?

A −447 kJ/mol

- **B** –283 kJ/mol
- **C** +141.5 kJ/mol
- **D** +283 kJ/mol

**15** Hydrogen and bromine react to form hydrogen bromide.

$$H_2$$
 +  $Br_2 \rightarrow 2HBr$ 

Bond energy data is given in the table.

bond	bond energy in kJ/mol
H–H	436
Br–Br	193
H–Br	366

What is the enthalpy change,  $\Delta H$ , for this reaction?

- A –263 kJ/mol
- **B** –103 kJ/mol
- **C** +103 kJ/mol
- **D** +263 kJ/mol
- **16** Octane,  $C_8H_{18}$ , is a hydrocarbon.

When octane is mixed with an excess of oxygen, no change takes place unless energy is supplied.

If energy is supplied, in the form of heat or an electric spark, a change takes place quickly.

The products of this change include carbon dioxide.


Which part of this description shows that the change is a chemical change?

- **A** Octane is a hydrocarbon.
- **B** No change takes place unless energy is supplied.
- **C** The change takes place quickly.
- **D** Carbon dioxide is produced.

**17** A student plans to investigate how the rate of the reaction changes when hydrochloric acid and calcium carbonate react.

 $CaCO_3(s) + 2HCl(aq) \rightarrow CaCl_2(aq) + H_2O(I) + CO_2(g)$ 

Three methods are described.



Record the mass of theIneastre and recordflask and contents everythe volume of gas in the30 seconds for 5 minutes.syringe after 30 seconds.

Count and record the total number of bubbles of gas in the water every 30 seconds for 5 minutes.

Which methods could be used to measure how the rate of reaction changes?

A 1, 2 and 3 B 1 and 2 only C 1 and 3 only D 2 and 3 only

**18** Aqueous bromine is an equilibrium mixture.

 $Br_2(aq) + H_2O(I) \rightleftharpoons OBr^-(aq) + Br^-(aq) + 2H^+(aq)$ 

Aqueous bromine is orange in colour. The species on the right-hand side of the equation are colourless.

Changes are made to three separate portions of the equilibrium mixture.

Which row shows how the colour of the mixture changes when a small amount of each substance is added?

	adding sulfuric acid	adding solid sodium bromide	adding water
Α	darker orange	darker orange	darker orange
в	darker orange	darker orange	paler orange
С	darker orange	paler orange	darker orange
D	paler orange	darker orange	paler orange

© UCLES 2023

**19** In which substance does the nitrogen atom have the same oxidation number as the nitrogen atom in HNO<sub>2</sub>?

Assume the following oxidation numbers for the other elements in these compounds: H, +1; F, -1; O, -2.

- **A** NF<sub>3</sub> **B**  $NH_4^+$  **C** NO **D**  $NO_2^+$
- 20 Limewater is aqueous calcium hydroxide.

Which statement about limewater is correct?

- **A** It has a pH below 7.
- **B** It gives a blue-green colour in the flame test.
- C It reacts with ammonia to form an ammonium salt.
- **D** It turns yellow when methyl orange is added.
- 21 Which two oxides will both react with aqueous sodium hydroxide?
  - A calcium oxide and copper(II) oxide
  - B calcium oxide and zinc oxide
  - **C** copper(II) oxide and sulfur dioxide
  - D sulfur dioxide and zinc oxide
- **22** A solution of sodium carbonate is added to tap water.

A white precipitate forms.

Which ion present in the tap water causes the precipitate to form?

- A chloride
- B magnesium
- **C** potassium
- D sulfate

**23** The characteristic properties of elements change from left to right across Period 2 of the Periodic Table.

On the left of the period, the charge on the ion formed by an element is:

- 1 the same as the group number
- 2 negative.


Which statements are correct?

- A both 1 and 2
- **B** 1 only
- C 2 only
- D neither 1 nor 2
- 24 Which statement about the Group VII halogens is correct?
  - **A** Bromine consists of Br<sub>2</sub> molecules at room temperature and pressure.
  - **B** lodine will displace bromine from aqueous potassium bromide.
  - **C** The halogens become darker in colour as the relative molecular mass decreases.
  - **D** The halogens become more volatile as the relative molecular mass increases.
- 25 A power cable requires an element that:
  - 1 conducts electricity
  - 2 has a relatively low density
  - 3 is ductile.

Which of these properties does aluminium have?

A 1, 2 and 3 B 1 and 2 only C 1 and 3 only D 2 and 3 only

26 Which diagram represents the structure of an alloy?



**27** Most metals react with oxygen in the air to form a metal oxide.

Which metal forms a metal oxide layer that reduces its apparent reactivity?

- **A** aluminium
- B copper
- **C** iron
- D silver
- 28 Which statement about corrosion of metals is correct?
  - **A** A barrier method is needed to prevent the corrosion of stainless steel.
  - **B** Iron corrodes to produce hydrated iron(I) oxide.
  - **C** Sacrificial protection uses a less reactive metal attached to the metal object that is being protected.
  - **D** When corrosion occurs, the metal loses electrons to become positive ions.
- **29** Some metals and the compounds in their ores are shown.

metal	Al	Ca	Pb	Na	Fe	Mg
compound in ore	$Al_2O_3$	CaCO <sub>3</sub>	PbS	NaCl	$Fe_2O_3$	MgCO <sub>3</sub>

Which type of reaction occurs in the extraction of each of these metals from its ore?

- **A** decomposition by heat
- B electrolysis
- **C** precipitation
- D reduction

30 Which statement about natural sources of water and the domestic water supply is correct?

- A Chlorine is used to remove tastes and odours in the treatment of the domestic water supply.
- **B** Metal compounds from detergents can deoxygenate natural sources of water.
- C Photosynthesis provides the oxygen needed for aquatic life in natural sources of water.
- **D** Sedimentation removes nitrates in the treatment of the domestic water supply.


- 1 neon
- 2 carbon monoxide
- 3 nitrogen
- 4 methane

Which gases are atmospheric pollutants?

**A** 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4

32 Which compounds are in the same homologous series?


- A CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>, CH<sub>3</sub>CHCHCH<sub>3</sub> and CH<sub>3</sub>CH(CH<sub>3</sub>)CH<sub>3</sub>
- **B** CH<sub>2</sub>CHCH<sub>3</sub>, CH<sub>3</sub>CH<sub>2</sub>CHCH<sub>2</sub> and CH<sub>2</sub>CHCH<sub>2</sub>CH<sub>3</sub>
- C CH<sub>3</sub>CHOHCH<sub>3</sub>, CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>OH and CH<sub>3</sub>CH<sub>2</sub>COOH
- D CH<sub>3</sub>CH<sub>2</sub>CH<sub>3</sub>, CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub> and CH<sub>2</sub>CHCH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>
- **33** The diagrams show four structures of  $C_4H_8$ .



Which structures represent the same molecule?

A 1 and 2 B 1 and 3 C 2 and 3 D 2 and 4

**34** The displayed formulae of two organic compounds are shown.



What are the names of these compounds?

	compound 1	compound 2
Α	methanoic acid	ethyl methanoate
в	methanoic acid	methyl ethanoate
С	methanol	ethyl methanoate
D	methanol	methyl ethanoate

**35** Two products of the separation of petroleum are the lubricating oil fraction and the kerosene/paraffin fraction.

Which statement is correct?

- **A** The lubricating oil fraction is more viscous than the kerosene/paraffin fraction.
- **B** The lubricating oil fraction is more volatile than the kerosene/paraffin fraction.
- **C** The lubricating oil fraction has lower boiling points than the kerosene/paraffin fraction.
- **D** Molecules in the lubricating oil fraction have smaller chain lengths than molecules in the kerosene/paraffin fraction.
- **36** An incomplete equation for the reaction of propane with chlorine is shown.

$$C_3H_8 + Cl_2 \rightarrow C_3H_7Cl + X$$


A student writes three statements about this reaction.

- 1 The activation energy for this reaction is provided by ultraviolet light.
- 2  $C_3H_7Cl$  has two different structural formulae.
- 3 X is an acidic gas.

Which statements are correct?

**A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

**37** Glycerol is an alcohol with three –OH groups per molecule.




What is the equation for the combustion of glycerol?

- $\mathbf{A} \quad C_3H_8O_3 + 5O_2 \rightarrow 3CO_2 + 4H_2O$
- **B**  $2C_3H_8O_3 + 3O_2 \rightarrow 6CO_2 + 8H_2$
- **C**  $2C_3H_8O_3 + 7O_2 \rightarrow 6CO_2 + 8H_2O$
- **D**  $4C_3H_5O_3 + 11O_2 \rightarrow 12CO_2 + 10H_2O$
- 38 Compound X decolourises acidified aqueous potassium manganate(VII).

Compound X has the empirical formula  $C_2H_5O$ .

Some possible structures of X are shown.



**39** Which statement is correct?

- A filtrate is left on the filter paper during filtration. Α
- В A saturated solution contains only substances with single bonds.
- A solute is a substance that dissolves a solvent. С
- A solution can never be described as pure. D


Α

**40** A student does two experiments.

In experiment 1, ammonium carbonate is reacted with dilute hydrochloric acid.

In experiment 2, ammonium carbonate is heated with aqueous sodium hydroxide.

In each experiment, the gas evolved is tested with damp blue litmus paper and damp red litmus paper.



experiment 1

experiment 2

Which row correctly shows the colour of both pieces of litmus paper at the end of each experiment?

	experiment 1	experiment 2
Α	blue	blue
в	blue	red
С	red	blue
D	red	red

### **BLANK PAGE**

15

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.).

awrencium

102 No nobelium

101 Md mendelevi

F H 100

einsteinium

califomium

97 **BK** berkelium

<sup>96</sup> O <sup>96</sup>

95 Am <sup>mericium</sup>

94 Pu plutonium

93 Np Teptunium

91 Pa protactinium 231

90 Th <sup>thorium</sup> 232

89 Ac actinium

I

uranium 238

© UCLES 2023

The Periodic Table of Elements

														-												
<pre>NII</pre>	<sup>2</sup> He	4	10	Ne	neon 20	18	Ar	argon 40	36	Ъ	krypton 84	54	Xe	xenon 131	86	Rn	radon -	118	Og	oganesson -						
IIV			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ъ	bromine 80	53	Ι	iodine 127	85	At	astatine 	117	Ts	tennessine -		71	Lu	lutetium 175	103	Ļ
>			8	0	oxygen 16	16	ა	sulfur 32	34	Se	selenium 79	52	Те	tellurium 128	84	Ро	polonium –	116	2	livermorium –		70	٩Y	ytterbium 173	102	No
>	-		7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Bi	bismuth 209	115	Mc	moscovium -		69	Tm	thulium 169	101	Md
≥	-		9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	РЬ	lead 207	114	Γl	flerovium –		68	ч	erbium 167	100	Ш
≡	-		5	ш	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204	113	ЧN	nihonium –		67	Ч	holmium 165	66	ШS
	-								30	Zn	zinc 65	48	Cq	cadmium 112	80	Нg	mercury 201	112	C	copernicium -		66	Dy	dysprosium 163	98	Ċ
									29	Cu	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium -		65	Tb	terbium 159	97	Ř
									28	ïZ	nickel 59	46	Pd	palladium 106	78	ħ	platinum 195	110	Ds	darmstadtium -		64	Gd	gadolinium 157	96	Cm
									27	ပိ	cobalt 59	45	Rh	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium -		63	Eu	europium 152	95	Am
	- T	nyarogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	76	SO	osmium 190	108	Hs	hassium -		62	Sm	samarium 150	94	Pu
			I						25	Mn	manganese 55	43	Ц	technetium -	75	Re	rhenium 186	107	Bh	bohrium –		61	Pm	promethium -	93	Np
					SS				24	ບັ	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -		60	ΡN	neodymium 144	92	
		Key	tomic number	mic symb	name tive atomic ma				23	>	vanadium 51	41				Ъ	tantalum 181	105	Db	dubnium –		59	Pr	praseodymium 141	91	Ра
			в	atol	rela				22	F	titanium 48	40	Zr	zirconium 91	72	Ŧ	hafnium 178	104	Ŗ	rutherfordium —		58	Ce		06	Th
									21	Sc	scandium 45	39	≻	yttrium 89	57-71	lanthanoids		89-103	actinoids			57	La	lanthanum 139	68	Ac
=	-		4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	S	strontium 88	56	Ba	barium 137	88	Ra	radium -			sp			
_			e	:	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	л Ц	francium -			lanthano			actinoids
			Key Key	Image: state of the state o	H H H H H H H H H H H H H H	Image: Second control <td< td=""><td>Image: state of the state o</td><td><math display="block">\begin{array}{ c c c c c c c c c c c c c c c c c c c</math></td><td>II II IV V VI VI   Index H H H V VI VI   Key Mathematical Mathmatical Mathematical Mathematical Mathematical Mathemati</td><td><math display="block">\begin{tabular}{ c c c c c c c c c c c c c c c c c c c</math></td><td><math display="block"> \begin{array}{ c c c c c c c c c c c c c c c c c c c</math></td><td><math display="block">\begin{tabular}{ c c c c c c c c c c c c c c c c c c c</math></td><td><math display="block">\begin{tabular}{ c c c c c c c c c c c c c c c c c c c</math></td><td><math display="block">\begin{tabular}{ c c c c c c c c c c c c c c c c c c c</math></td><td><math display="block">\begin{tabular}{ c c c c c c c c c c c c c c c c c c c</math></td><td><math display="block">\begin{tabular}{ c c c c c c c c c c c c c c c c c c c</math></td><td><math display="block">\begin{tabular}{ c c c c c c c c c c c c c c c c c c c</math></td><td><math display="block">\begin{tabular}{ c c c c c c c c c c c c c c c c c c c</math></td><td><math display="block">\label{eq:relation} \left  \begin{array}{c c c c c c c c c c c c c c c c c c c </math></td><td><math display="block">\begin{tabular}{ c c c c c c c c c c c c c c c c c c c</math></td><td><math display="block">\label{eq:relation} \begin{tabular}{ c c c c c c c c c c c c c c c c c c c</math></td><td><math display="block">\label{eq:relation} \begin{tabular}{ c c c c c c c c c c c c c c c c c c c</math></td><td><math display="block">\begin{tabular}{ c c c c c c c c c c c c c c c c c c c</math></td><td><math display="block">\label{eq:relation} \eqref{eq:relation} \eqr</math></td><td><math display="block"> \  \  \  \  \  \  \  \  \  \  \  \  \ </math></td><td><math display="block"> \begin{array}{                                    </math></td></td<>	Image: state of the state o	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	II II IV V VI VI   Index H H H V VI VI   Key Mathematical Mathmatical Mathematical Mathematical Mathematical Mathemati	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	$\label{eq:relation} \left  \begin{array}{c c c c c c c c c c c c c c c c c c c $	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	$\label{eq:relation} \begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	$\label{eq:relation} \begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	$\label{eq:relation} \eqref{eq:relation} \eqr$	$ \  \  \  \  \  \  \  \  \  \  \  \  \ $	$ \begin{array}{                                    $

5070/11/O/N/23