



Cambridge O Level

BIOLOGY

5090/31

Paper 3 Practical

October/November 2022

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2022 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

This document consists of **8** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
- 5 'List rule' guidance
For questions that require *n* responses (e.g. State **two** reasons ...):
 - The response should be read as continuous prose, even when numbered answer spaces are provided.
 - Any response marked *ignore* in the mark scheme should not count towards *n*.
 - Incorrect responses should not be awarded credit but will still count towards *n*.
 - Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
 - Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark schemes will use these abbreviations:

; separates marking points

/ alternatives

() contents of brackets are not required but should be implied

R reject

A accept (for answers correctly cued by the question, or guidance for examiners)

lg ignore (for incorrect but irrelevant responses)

AW alternative wording (where responses vary more than usual)

AVP alternative valid point (where a greater than usual variety of responses is expected)

ORA or reverse argument

underline actual word underlined must be used by candidate

+ statements on both sides of the + are needed for that mark

Question	Answer	Marks	Guidance														
1(a)(i)	avoid cross-contamination AW ;	1															
1(a)(ii)	similar size / surface area of small pieces ;	1															
1(b)(i)	<p>all 6 spaces completed ;</p> <p>1 mark for each cell completed with correct colour / appearance</p> <table border="1" data-bbox="349 480 1261 943"> <thead> <tr> <th rowspan="2">test reagent</th> <th colspan="2">observations</th> </tr> <tr> <th>food A</th> <th>food B</th> </tr> </thead> <tbody> <tr> <td>ethanol</td> <td>colourless / clear / slightly cloudy / opaque ;</td> <td>cloudy / white ;</td> </tr> <tr> <td>biuret</td> <td>pale purple / purple / mauve ;</td> <td>pale purple / purple / mauve ;</td> </tr> <tr> <td>iodine solution</td> <td>yellow / brown ;</td> <td>yellow / brown ;</td> </tr> </tbody> </table>	test reagent	observations		food A	food B	ethanol	colourless / clear / slightly cloudy / opaque ;	cloudy / white ;	biuret	pale purple / purple / mauve ;	pale purple / purple / mauve ;	iodine solution	yellow / brown ;	yellow / brown ;	7	
test reagent	observations																
	food A	food B															
ethanol	colourless / clear / slightly cloudy / opaque ;	cloudy / white ;															
biuret	pale purple / purple / mauve ;	pale purple / purple / mauve ;															
iodine solution	yellow / brown ;	yellow / brown ;															
1(b)(ii)	<p><i>ethanol:</i> fat / lipid ; present in B but not in A ;</p> <p><i>biuret:</i> protein; in both A and B / more protein in B than A ;</p> <p><i>iodine:</i> starch ; not present in A or B / no starch ;</p>	6															

Question	Answer		Marks	Guidance														
1(c)	<table border="1"> <thead> <tr> <th data-bbox="349 220 808 301">source of error</th> <th data-bbox="813 220 1272 301">improvement</th> </tr> </thead> <tbody> <tr> <td data-bbox="349 304 808 450">B crumbly / difficult to cut same volume as A / difficult to compare same volumes ;</td> <td data-bbox="813 304 1272 450">use same mass / weight of A and B ;</td> </tr> <tr> <td data-bbox="349 453 808 598">difficult cutting substances into same number of small pieces / similar surface areas ;</td> <td data-bbox="813 453 1272 598">crush / grind to overcome cutting problem ;</td> </tr> <tr> <td data-bbox="349 601 808 715">colours of A and B were different / may have affected colour of resulting solutions ;</td> <td data-bbox="813 601 1272 715">sieve solids ;</td> </tr> <tr> <td data-bbox="349 718 808 831">solids not settled completely so affecting colour with biuret ;</td> <td data-bbox="813 718 1272 831">sieve solids ;</td> </tr> <tr> <td data-bbox="349 834 808 932">difficult to identify the intensity of colour ;</td> <td data-bbox="813 834 1272 932">use a colorimeter ;</td> </tr> <tr> <td data-bbox="349 935 808 1016">AVP ;</td> <td data-bbox="813 935 1272 1016">AVP ;</td> </tr> </tbody> </table>		source of error	improvement	B crumbly / difficult to cut same volume as A / difficult to compare same volumes ;	use same mass / weight of A and B ;	difficult cutting substances into same number of small pieces / similar surface areas ;	crush / grind to overcome cutting problem ;	colours of A and B were different / may have affected colour of resulting solutions ;	sieve solids ;	solids not settled completely so affecting colour with biuret ;	sieve solids ;	difficult to identify the intensity of colour ;	use a colorimeter ;	AVP ;	AVP ;	4	suggestion must match source of error
source of error	improvement																	
B crumbly / difficult to cut same volume as A / difficult to compare same volumes ;	use same mass / weight of A and B ;																	
difficult cutting substances into same number of small pieces / similar surface areas ;	crush / grind to overcome cutting problem ;																	
colours of A and B were different / may have affected colour of resulting solutions ;	sieve solids ;																	
solids not settled completely so affecting colour with biuret ;	sieve solids ;																	
difficult to identify the intensity of colour ;	use a colorimeter ;																	
AVP ;	AVP ;																	

Question	Answer	Marks	Guidance
2(a)	sharp pencil + continuous outer line + no shading ; oval shape + size at least 80 mm + only artery drawn ; folded inner layer ; outer (muscle) layer thinner than inner (muscle) layer ;	4	
2(b)	68 ± 1 + mm ; measurement / 90 ; (for 68mm) 0.76 ;	3	
2(c)	sit quietly for a few / specified minutes ; use finger at neck / wrist AW ; any time frame + method of calculating value per min ; several counts + mean ;	3	

Question	Answer	Marks	Guidance						
3(a)	distance on x-axis + axes fully labelled + units ; continuous linear scales for both axes + over half of grid used + values at origin ; all 12 points plotted correctly ; straight lines correctly drawn between points ; both lines labelled / key used ;	5							
3(b)(i)	all under / near / less than 10 m from tree / within 0–5 m AW ;	1							
3(b)(ii)	(fruits) more near the tree / increase to 5 m + reduce further away ; range of fruit distribution 0–30 m from tree AW ;	2							
3(c)	wind / air movement ;	1							
3(d)	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th data-bbox="347 703 752 770" style="text-align: center;">variable</th> <th data-bbox="752 703 1272 770" style="text-align: center;">explanation</th> </tr> </thead> <tbody> <tr> <td data-bbox="347 770 752 871">size / surface area of bract ;</td> <td data-bbox="752 770 1272 871">larger surface area carried further AW / ORA ;</td> </tr> <tr> <td data-bbox="347 871 752 971">fruit mass ;</td> <td data-bbox="752 871 1272 971">heavier fruits carried less far AW / ORA ;</td> </tr> </tbody> </table>	variable	explanation	size / surface area of bract ;	larger surface area carried further AW / ORA ;	fruit mass ;	heavier fruits carried less far AW / ORA ;	2	
variable	explanation								
size / surface area of bract ;	larger surface area carried further AW / ORA ;								
fruit mass ;	heavier fruits carried less far AW / ORA ;								