



Cambridge International AS & A Level

BIOLOGY

9700/42

Paper 4 A Level Structured Questions

October/November 2022

MARK SCHEME

Maximum Mark: 100

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2022 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

This document consists of **19** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
- 5 'List rule' guidance

For questions that require *n* responses (e.g. State **two** reasons ...):
 - The response should be read as continuous prose, even when numbered answer spaces are provided.
 - Any response marked *ignore* in the mark scheme should not count towards *n*.
 - Incorrect responses should not be awarded credit but will still count towards *n*.
 - Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
 - Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same marking point
R	reject
A	accept
I	ignore
AVP	any valid point
AW	alternative wording (where responses vary more than usual)
ecf	error carried forward
<u>underline</u>	actual word underlined must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point

PUBLISHED

Question	Answer	Marks
1(a)	<p><i>any three from:</i></p> <ol style="list-style-type: none"> 1 Red List ; 2 e.g. threatened / endangered / extinct etc., species ; 3 ref. education / spreads awareness ; 4 provides a global forum for sharing expertise / AW ; 5 provides advice about conservation issues ; 	3
1(b)	<ol style="list-style-type: none"> 1 cattle at edge / old and weak cattle, (easy) for lions to kill (for food) ; 2 (so) the remaining cattle can survive / AW ; 	2
1(c)	<p><i>any four from:</i></p> <ol style="list-style-type: none"> 1 female given, hormone / FSH / gonadotropins ; 2 <i>ref. to</i> superovulation / AW ; 3 (secondary) oocytes / ova, harvested / AW ; Ignore eggs 4 detail of harvest ; e.g. use of fine needle / using ultrasound 5 sperm / semen, added to (secondary) oocytes / ova ; 6 cultured / AW, for several days / until embryo or blastocyst stage ; Ignore number of cells 7 embryo / blastocyst, placed in uterus ; 	4

PUBLISHED

Question	Answer	Marks
2(a)(i)	<p><i>any four from:</i></p> <ol style="list-style-type: none"> 1 glycolysis ; 2 glucose to pyruvate ; 3 pyruvate to ethanal by, decarboxylation / CO₂ removal ; 4 ethanal, reduced / hydrogenated, to ethanol ; 5 reduced NAD to NAD ; A regeneration of NAD 6 AVP ; e.g. ethanol / alcohol, dehydrogenase or pyruvate decarboxylase 	4
2(a)(ii)	<p><i>any two from:</i></p> <ol style="list-style-type: none"> 1 can survive (in absence of oxygen) ; 2 (as) ATP still produced (from glycolysis) ; 3 glycolysis can continue ; 4 as NAD recycled ; 	2
2(b)	<p><i>any two from:</i></p> <ol style="list-style-type: none"> 1 GM strain has higher (concentration of ethanol / ethanol production) or GM strain has steeper increase (in concentration of ethanol / ethanol production) ; ora 2 (both GM and non-GM) (concentration of ethanol / ethanol production) increases then levels off ; 3 comparative figs to support trend ; e.g. (mp1) (max concentration) for GM 19 g dm⁻³ and non-GM 1 g dm⁻³ (mp2) (levels off at) 18 g dm⁻³ for GM and 1 g dm⁻³ for non-GM 	2

PUBLISHED

Question	Answer	Marks
2(c)	<i>any two from:</i> 1 similar / same, concentration of starch hydrolysed ; 2 similar / same, concentration of glucose available (to yeast) ; 3 enzymes work at the same rate (in both methods) ; 4 AVP ; e.g. GM yeast cells produce more enzymes	2
2(d)	<i>any one from:</i> 1 more (named) fuel or electricity needed ; 2 need to add enzymes ; 3 AVP ; e.g. (whole method) takes longer	1

PUBLISHED

Question	Answer	Marks
3(a)(i)	D ; B ;	2
3(a)(ii)	<i>any four from:</i> 1 thylakoid stacks or discs / many thylakoids, for, increased or large, surface area ; 2 increased or large, surface area maximises the absorption of light (energy) / AW ; Ignore trap (light energy) <i>mp 3–5 thylakoid membranes / grana contain</i> 3 photosynthetic / named / primary / accessory, pigments to absorb light (energy) ; 4 electron carriers / ETC, to, transfer / release, energy (from excited electrons) ; 5 photosystems / antenna complex and reaction centre, are light harvesting structures ; 6 thylakoid space or lumen to, form proton gradient / have high concentration of protons ; 7 thylakoid membrane is (relatively) impermeable, to maintain the proton gradient (for chemiosmosis) ; 8 ATP synthase to make ATP ; 9 contains oxygen-evolving complex / OEC, for the photolysis of water ;	4

PUBLISHED

Question	Answer	Marks
3(b)(i)	<p><i>any three from:</i></p> <ol style="list-style-type: none"> 1 the pH is higher in the light than in the dark ora or the pH increases (from dark) to light or the pH decreases (from light) to dark ; 2 the pH, increases sharply / AW, when changed to light ; 3 the pH, levels off / AW, in light ; 4 the pH decreases, gradually / less steeply, when returned to the dark or decrease in pH does not return to original (dark) pH ; 5 <i>ref. to fluctuations anywhere / described ;</i> 6 comparative figures to support ; (mp1) dark(1) ~ pH 7.31–7.6 vs light ~ 7.52–7.61 vs dark (2) ~ 7.51–7.38 (mp2) from pH 7.36–7.56 in 36 s (1½ squares and each square 24 s) (mp4) from pH 7.56–7.4 in 288 s (12 squares) 	3
3(b)(ii)	<p><i>any three from:</i></p> <ol style="list-style-type: none"> 1 the stroma has higher pH when H⁺ ions, move, out (of stroma) / into thylakoid, space / lumen ; 2 (leads to) increased H⁺ concentration in the thylakoid, space / lumen ; 3 (then) H⁺ diffuse back (into stroma) through ATP synthase ; 4 AVP ; e.g. idea not to support theory 	3

PUBLISHED

Question	Answer	Marks
4(a)	<p><i>any four from:</i></p> <ol style="list-style-type: none"> 1 manipulate DNA to modify organism's characteristics / AW ; 2 gene / allele / (section of) DNA, obtained using restriction, enzyme / endonuclease ; 3 use of reverse transcriptase to make, gene / allele / (section of) DNA, using mRNA ; 4 gene / allele / (section of) DNA, inserted into, vector / plasmid, using ligase ; 5 add / insert, (recombinant), vector / plasmid, into, (host) cell / bacterium ; 6 clone / multiply, cell / bacteria ; A put bacteria in a fermenter 7 gene is expressed and, protein / factor XIII / factor IX, is made ; 8 AVP ; e.g. artificial / chemical, synthesis of new gene 	4
4(b)(i)	<p><i>any three from:</i></p> <ol style="list-style-type: none"> 1 haemophilia B (first) because (F9) gene is small enough to fit into virus / 1.6kbp and 4.7kbp ; ora 2 haemophilia A (first) because it is more common ; ora <p><i>therapy not attempted</i></p> <ol style="list-style-type: none"> 3 (because) disease can be managed by recombinant proteins ; 4 gene therapy (trials) involve, risk of harm / side effects / allergic reactions / immune response ; <p><i>therapy attempted</i></p> <ol style="list-style-type: none"> 5 provides a cure / AW ; 6 taking clotting factors etc. can involve risk of harm ; 	3

Question	Answer	Marks
4(b)(ii)	<p><i>any two from:</i></p> <ul style="list-style-type: none"> 1 to allow binding of, RNA polymerase / transcription factors ; 2 to switch gene on / so gene is expressed / allow transcription (of gene) ; 3 at right time / all the time / in sufficient quantities ; 4 in correct tissue ; 	2
4(b)(iii)	<p><i>any two from:</i></p> <p><i>decrease success because:</i></p> <ul style="list-style-type: none"> 1 antibodies / immune response, may, destroy / attack / AW, virus / vector ; 2 (so) limiting / stopping, delivery of, gene / allele / DNA, to cells ; 3 destroys GM cells or destroys cells that have successfully taken up the, virus / gene / allele / DNA ; 	2
4(c)	<p><i>any two from:</i></p> <p><i>list rule</i></p> <ul style="list-style-type: none"> 1 (gene editing) is, precise / exact / accurate ; 2 patient's own gene can be, edited / corrected or no introduction of, gene / allele ; 3 no need to introduce promoter ; 4 less / no, risk of cancer or less / no, immune response ; 	2

PUBLISHED

Question	Answer	Marks
5(a)	1 at 95 °C, (DNA) denatures / (dsDNA) splits into single strands / H bonds break ; 2 at 50 °C, primers, anneal / bind, (to ssDNA) ; 3 at 72 °C, complementary / second, (DNA) strand is made ; A DNA replicated / (ssDNA) is made into dsDNA	3
5(b)	<i>any four from 1–7:</i> 1 <i>M. pygmaea</i> (populations) geographically isolated / separated by sea or water ; 2 <i>M. pulvinaris</i> (populations) geographically isolated / mountain tops separated ; <i>M. pygmaea</i> or <i>M. pulvinaris</i> / <i>South Island</i> or <i>Stewart Island</i> species: 3 no / little, interbreeding / gene flow, between populations ; 4 different, selection pressures / environment ; 5 different / random, mutations ; 6 different changes in allele frequencies / different gene pools ; 7 (so) allopatric speciation could be occurring (within either species) / AW ; <i>M. pottsiana</i> / <i>North Island</i> species: 8 no geographical isolation ; 9 (so) interbreeding / gene flow, occurs, within / between, population(s) ; 10 similar, selection pressures / environment ;	5

PUBLISHED

Question	Answer	Marks
5(c)	<i>any two from:</i> 1 genetic drift / bottleneck / founder effect ; 2 migration ; 3 mutation ; 4 artificial selection / selective breeding ;	2

Question	Answer	Marks
6(a)(i)	<p>any three from:</p> <p>1 <i>trp</i> operon regulatory gene / <i>trpR</i>, codes for an inactive repressor and <i>lac</i> operon regulatory gene / <i>lacI</i>, codes for active repressor ;</p> <p>2 <i>lac</i> operon does not have an attenuator ; ora</p> <p>3 <i>lac</i> operon has fewer structural genes or 3 vs 5 structural genes ;</p> <p>4 <i>lac</i> operon uses, an inducer / (allo)lactose and <i>trp</i> operon uses, a repressor / tryptophan ;</p> <p>5 (allo)lactose, binds / inactivates, repressor, so repressor, leaves / cannot bind to, operator and tryptophan, binds / activates, repressor, so repressor can bind to operator ;</p> <p>6 (allo)lactose causes genes to be, transcribed / switched on / expressed and tryptophan causes genes to be not, transcribed / switched on / expressed ;</p>	3
6(a)(ii)	<p>any one from:</p> <p>1 (share) one promoter ;</p> <p>2 all, enzymes / proteins / products, work together ;</p>	1
6(a)(iii)	<p><i>structural genes</i>: code for, enzymes / structural proteins / non-regulatory proteins / rRNA / tRNA ;</p> <p><i>regulatory genes</i>: code for, proteins / products, that control, gene expression / transcription ; A code for, transcription factors / repressor proteins</p>	2

PUBLISHED

Question	Answer	Marks
6(a)(iv)	<p><i>any two from:</i></p> <ol style="list-style-type: none"> 1 end-product inhibition / negative feedback / feedback inhibition ; 2 <u>tryptophan</u>, binds to / activates, repressor or <u>tryptophan</u> allows repressor to bind to operator ; 3 <u>tryptophan</u>, stops / reduces, <i>trpA</i> or gene transcription / <i>trpA</i> or gene expression / protein synthesis / tryptophan synthase being made ; 	2
6(b)(i)	<p><i>any four from:</i></p> <ol style="list-style-type: none"> 1 (gibberellin) binds to receptor ; 2 ref. enzyme ; 3 (enzyme causes) DELLA breakdown ; 4 DELLA no longer, binds to / inhibits, transcription factor / PIF ; 5 (so) transcription factor / PIF / RNA polymerase, binds to, DNA / promoter ; 6 (growth) genes, switched on / expressed / transcribed ; 	4
6(b)(ii)	<p><i>mark first answer</i> transcription factor(s) ;</p>	1

PUBLISHED

Question	Answer	Marks
7(a)	<p><i>dominant</i> – allele always has effect on phenotype / allele expressed in homozygote and heterozygote / allele always expressed ;</p> <p><i>recessive</i> – allele only has effect on phenotype if dominant allele absent / only expressed in homozygote ;</p>	2
7(b)	<p><i>symbols</i> Z^B = allele for bronze feathers Z^b = allele for brown feathers ;</p> <p><i>parents phenotypes</i> <i>bronze male</i> <i>brown female</i></p> <p><i>parents genotypes</i> $Z^B Z^b$ x $Z^b W$;</p> <p><i>gametes</i> Z^B Z^b Z^b W ;</p> <p><i>offspring genotypes</i> $Z^B Z^b$ $Z^B W$ $Z^b Z^b$ $Z^b W$;</p> <p><i>offspring phenotypes</i> bronze male bronze female brown male brown female;</p> <p><i>ecf for putting allele on W</i> <i>ecf for incorrect symbols with no superscript</i> <i>ecf for different letters for alleles</i> <i>no sex chromosomes = no marks</i></p>	5
7(c)	<p>1 cross with brown female ;</p> <p>2 if all offspring bronze then male is, homozygous / $Z^B Z^B$;</p> <p>3 if (some offspring are bronze and) some are brown then male is, heterozygous / $Z^B Z^b$;</p>	3

PUBLISHED

Question	Answer	Marks
8(a)	<p>C pointing to the microvilli adjacent to the proximal convoluted tubule lumen ;</p> <p>P pointing to the basal membrane adjacent to the blood capillary ;</p> <p><i>label line must touch a membrane (not a space)</i></p>	2
8(b)	<p>any five from:</p> <p>1 microvilli for large surface area (for reabsorption) ;</p> <p>2 (large surface area) for many, cotransporters / carrier proteins ;</p> <p>3 cotransporter (proteins) to absorb sodium ions with, glucose / amino acids ; A idea of secondary active transport</p> <p>4 tight junctions between cells so substances have to pass through the cells / AW ;</p> <p>5 many mitochondria to produce ATP ;</p> <p>6 (ATP) for the sodium (potassium) pumps or (ATP) to pump / actively transport, sodium ions (into the blood) ;</p> <p>7 folded basal membrane for many sodium (potassium) pumps ;</p>	5
8(c)	<p>$\frac{2.00}{0.03}$;</p> <p>67 ;</p> <p><i>if $\frac{2.00 - 0.03}{0.03}$ given then accept 66 ecf for second mark point only</i></p>	2

PUBLISHED

Question	Answer	Marks												
9(a)	<table border="1" data-bbox="624 217 1523 612"> <thead> <tr> <th data-bbox="624 217 1012 280">phase of action potential</th> <th data-bbox="1012 217 1523 280">state of voltage-gated channels</th> </tr> </thead> <tbody> <tr> <td data-bbox="624 280 1012 344">A</td> <td data-bbox="1012 280 1523 344">2</td> </tr> <tr> <td data-bbox="624 344 1012 408">C</td> <td data-bbox="1012 344 1523 408">1</td> </tr> <tr> <td data-bbox="624 408 1012 472">E</td> <td data-bbox="1012 408 1523 472">3</td> </tr> <tr> <td data-bbox="624 472 1012 536">F</td> <td data-bbox="1012 472 1523 536">3</td> </tr> <tr> <td data-bbox="624 536 1012 600">G</td> <td data-bbox="1012 536 1523 600">2</td> </tr> </tbody> </table> <p data-bbox="1570 568 1603 592">∴</p> <p data-bbox="338 647 618 743">5 correct = 3 marks 3/4 correct = 2 marks 1/2 correct = 1 mark</p>	phase of action potential	state of voltage-gated channels	A	2	C	1	E	3	F	3	G	2	3
phase of action potential	state of voltage-gated channels													
A	2													
C	1													
E	3													
F	3													
G	2													
9(b)	<p data-bbox="338 783 546 807">any three from:</p> <ol data-bbox="338 847 1352 1222" style="list-style-type: none"> 1 Schwann cells, wrap around the axon / form the myelin sheath ; 2 insulates (axon) / prevents movement of ions ; 3 depolarisation / action potentials, can only occur at nodes (of Ranvier) ; 4 <i>ref. to</i> long(er) local circuits / (nodes are) 1–3 mm apart ; 5 action potentials, move by saltatory conduction / jump from node to node ; 6 speed of transmission is, fast(er) / 100 m s⁻¹ ; 	3												

PUBLISHED

Question	Answer	Marks
10(a)	<p><i>any four from:</i></p> <ol style="list-style-type: none"> 1 decreasing / low, blood glucose concentration causes, increase in glucagon concentration / glucagon secretion ; 2 glucagon acts on liver cells ; 3 glycogenolysis / described ; R is glucagon breaks down glycogen 4 gluconeogenesis / described ; 5 so, glucose is released into the blood / blood glucose concentration increases ; 6 <i>ref. to</i> negative feedback ; 	4
10(b)	<p>complementary ;</p> <p>G-protein ;</p> <p>adenyl(yl) cyclase ;</p>	3