



Cambridge International AS & A Level

CHEMISTRY

9701/35

Paper 3 Paper 35 (Advanced Practical Skills 1)

May/June 2020

MARK SCHEME

Maximum Mark: 40

Published

Students did not sit exam papers in the June 2020 series due to the Covid-19 global pandemic.

This mark scheme is published to support teachers and students and should be read together with the question paper. It shows the requirements of the exam. The answer column of the mark scheme shows the proposed basis on which Examiners would award marks for this exam. Where appropriate, this column also provides the most likely acceptable alternative responses expected from students. Examiners usually review the mark scheme after they have seen student responses and update the mark scheme if appropriate. In the June series, Examiners were unable to consider the acceptability of alternative responses, as there were no student responses to consider.

Mark schemes should usually be read together with the Principal Examiner Report for Teachers. However, because students did not sit exam papers, there is no Principal Examiner Report for Teachers for the June 2020 series.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the June 2020 series for most Cambridge IGCSE™ and Cambridge International A & AS Level components, and some Cambridge O Level components.

This document consists of **9** printed pages.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance (see examples below)

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided
- Any response marked *ignore* in the mark scheme should not count towards *n*
- Incorrect responses should not be awarded credit but will still count towards *n*
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form, (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (*a*) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Question	Answer	Marks
1(a)	<p>I The following data is shown</p> <ul style="list-style-type: none"> two burette readings for the rough titration titre for rough titration initial and final burette readings for two (or more) accurate titrations 	1
	<p>II Appropriate headings and units for accurate titration. and volume FA 1 added recorded for each accurate titre. <i>Headings should match readings.</i></p> <ul style="list-style-type: none"> initial / start and (burette) reading / volume final / end and (burette) reading / volume titre or volume / FA 1 and used / added unit: / cm³ or (cm³) or in cm³ or cm³ for each entry 	1
	III All accurate burette readings are to the nearest 0.05 cm ³ .	1
	IV The final accurate titre recorded is within 0.10 cm ³ of any other accurate titre.	1
	Award V , VI and VII if $\delta \leq 0.20$ (cm ³) Award V and VI if $0.20 < \delta \leq 0.50$ Award V , only, if $0.50 < \delta \leq 0.80$	3
1(b)	Calculation of mean <ul style="list-style-type: none"> Candidate must average two (or more) accurate titres where the total spread is ≤ 0.20 cm³. Working must be shown or ticks must be put next to the two (or more) accurate readings selected. The mean should normally be quoted to 2 dp rounded to the nearest 0.01 cm³. (<i>e.g.: 26.666 must be rounded to 26.67 cm³.</i>) 	1
1(c)(i)	All numerical answers in 1(c) are given to 3 or 4 sf	1
1(c)(ii)	Correctly calculates $0.02 \times (\mathbf{b}) / 1000$	1
1(c)(iii)	Correctly uses answer (ii) $\times 5 / 2$ (or equivalent)	1

Question	Answer	Marks
1(c)(iv)	Correctly uses 8.06 / (40 × answer (iii))	1
1(c)(v)	Correct expression (answer (iv) – 88) ÷ 2	1
1(c)(vi)	Correct answer K / potassium <i>Allow ecf of group 1 metal ion:</i> (Li < 15.0; 15.0 ≤ Na < 31.1; 31.1 ≤ K ≤ 62.3; 62.3 ≤ Rb ≤ 109.2; 109.2 ≤ Cs)	1

Question	Answer	Marks
2(a)	I Both colours and states correct: (from) (pale) pink crystals / solid to off-white / beige / buff / (pale) brown powder / solid	1
	II Table of data Must show all of the following: <ul style="list-style-type: none"> • mass of crucible (+ lid) • mass of crucible (+ lid) + FA 4 • mass of crucible (+ lid) + residue • mass of FA 4 • mass of residue • mass of water lost 	1
	III Recording of data <ul style="list-style-type: none"> • Unit / g, (g) or in grams • all three balance readings recorded to same number of dp 	1
	IV Calculations Calculates correctly the mass of FA 4 , mass of residue and mass of water lost.	1
2(b)(i)	Correctly calculates $\text{mol MnSO}_4 = \text{mass residue} \div 151(.0)$ and answer to 2–4 sf	1
2(b)(ii)	Correctly calculates $\text{mol H}_2\text{O} = \text{mass water lost} \div 18$ and answer to 2–4 sf	1
2(b)(iii)	Correctly uses $\text{ans (ii)} \div \text{ans (i)}$ and x is an integer	1
2(c)(i)	Heat to constant mass	1
2(c)(ii)	The changes in masses (of residue and water) will be too small to change the integer value.	1

Question	Answer	Marks						
FA 5 is $\text{MnCl}_2(\text{aq})$; FA 6 is water in place of methylpropan-2-ol; FA 7 is butan-1-ol; FA 8 is butan-2-ol								
3(a)(i)	Off-white / pale brown / buff / beige ppt and insoluble in excess / ppt darkens / ppt turns brown / darker brown	1						
3(a)(ii)	Selects (aqueous) silver nitrate and (aqueous) sodium hydroxide with aluminium and either mention of heating or testing gas with red litmus Selection of any other reagent, Ba^{2+} , negates this mark.	1						
	Clear test / observation sections suitable for two tests	1						
	White ppt with Ag^+ and no ammonia with Devarda's test	1						
3(a)(iii)	FA 5 = Mn^{2+} and Cl^-	1						
3(a)(iv)	$\text{Mn}^{2+}(\text{aq}) + 2\text{OH}^-(\text{aq}) \rightarrow \text{Mn}(\text{OH})_2(\text{s})$	1						
3(a)(v)	3 observations = 1 mark	1						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">test</th> <th style="text-align: center;">residue</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">+ H_2O_2</td> <td style="text-align: center;">no visible reaction</td> </tr> <tr> <td style="text-align: center;">+ NaOH</td> <td style="text-align: center;">dark brown ppt / solid AND effervescence / bubbling / fizzing</td> </tr> </tbody> </table>		test	residue	+ H_2O_2	no visible reaction	+ NaOH	dark brown ppt / solid AND effervescence / bubbling / fizzing
	test		residue					
	+ H_2O_2		no visible reaction					
+ NaOH	dark brown ppt / solid AND effervescence / bubbling / fizzing							
(gas / O_2 / fizz) relights glowing splint / makes splint glow brighter								
3(a)(vi)	redox / disproportionation / catalysis	1						

Question	Answer	Marks												
3(b)(i)	Award one mark for every two correct observations <table border="1" data-bbox="338 284 1937 550"> <thead> <tr> <th data-bbox="338 284 535 347">test</th> <th data-bbox="535 284 1003 347">FA 6</th> <th data-bbox="1003 284 1471 347">FA 7</th> <th data-bbox="1471 284 1937 347">FA 8</th> </tr> </thead> <tbody> <tr> <td data-bbox="338 347 535 483">+ H⁺ / MnO₄⁻</td> <td data-bbox="535 347 1003 483">no reaction / no change / remains purple</td> <td data-bbox="1003 347 1471 483">purple decolourised <i>allow turns (pale) yellow-brown / brown</i></td> <td data-bbox="1471 347 1937 483">purple decolourised</td> </tr> <tr> <td data-bbox="338 483 535 550">+ I₂ / NaOH</td> <td data-bbox="535 483 1003 550">no reaction / no change / no ppt</td> <td data-bbox="1003 483 1471 550">no reaction / no change / no ppt</td> <td data-bbox="1471 483 1937 550">pale yellow ppt</td> </tr> </tbody> </table>	test	FA 6	FA 7	FA 8	+ H ⁺ / MnO ₄ ⁻	no reaction / no change / remains purple	purple decolourised <i>allow turns (pale) yellow-brown / brown</i>	purple decolourised	+ I ₂ / NaOH	no reaction / no change / no ppt	no reaction / no change / no ppt	pale yellow ppt	3
test	FA 6	FA 7	FA 8											
+ H ⁺ / MnO ₄ ⁻	no reaction / no change / remains purple	purple decolourised <i>allow turns (pale) yellow-brown / brown</i>	purple decolourised											
+ I ₂ / NaOH	no reaction / no change / no ppt	no reaction / no change / no ppt	pale yellow ppt											
3(b)(ii)	<table border="1" data-bbox="338 582 734 842"> <tbody> <tr> <td data-bbox="338 582 622 646">alcohol</td> <td data-bbox="622 582 734 646">FA...</td> </tr> <tr> <td data-bbox="338 646 622 710">butan-1-ol</td> <td data-bbox="622 646 734 710">FA 7</td> </tr> <tr> <td data-bbox="338 710 622 774">butan-2-ol</td> <td data-bbox="622 710 734 774">FA 8</td> </tr> <tr> <td data-bbox="338 774 622 842">methylpropan-2-ol</td> <td data-bbox="622 774 734 842">FA 6</td> </tr> </tbody> </table> <p data-bbox="338 879 972 911">3 correct award 2 marks, 1 correct award 1 mark</p>	alcohol	FA...	butan-1-ol	FA 7	butan-2-ol	FA 8	methylpropan-2-ol	FA 6	2				
alcohol	FA...													
butan-1-ol	FA 7													
butan-2-ol	FA 8													
methylpropan-2-ol	FA 6													
3(b)(iii)	$\text{CH}_3(\text{CH}_2)_2\text{CH}_2\text{OH} + [\text{O}] \rightarrow \text{CH}_3(\text{CH}_2)_2\text{CHO} + \text{H}_2\text{O}$ or $\text{CH}_3(\text{CH}_2)_2\text{CH}_2\text{OH} + 2[\text{O}] \rightarrow \text{CH}_3(\text{CH}_2)_2\text{COOH} + \text{H}_2\text{O}$ or $\text{CH}_3\text{CH}_2\text{CHOHCH}_3 + [\text{O}] \rightarrow \text{CH}_3\text{CH}_2\text{COCH}_3 + \text{H}_2\text{O}$	1												