




Cambridge International Examinations

Cambridge International Advanced Subsidiary and Advanced Level

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		



COMPUTER SCIENCE

9608/11

Paper 1 Theory Fundamentals

May/June 2016

1 hour 30 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

No calculators allowed.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

No marks will be awarded for using brand names of software packages or hardware.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The maximum number of marks is 75.





1 Three examples of language translators and four definitions are shown below.

Draw lines to link each language translator to the correct one or more definitions.

Language translator

Definition

The software reads the source code and reports all errors. The software produces an executable file.

Compiler

Assembler

Interpreter

The software reads each statement and checks it before running it. The software halts when it encounters a syntax error.

The software translates a high-level language program into machine code for the processor to execute.

The software translates low-level statements into machine code for the processor to execute.

[3]

	_						
2 (a)	Convert the	following	denary	integer	into	8-bit binary.	

(α)	Convert the following dentity integer into o bit binary.	
	55	
		[1]
(b)	Convert the following Binary Coded Decimal (BCD) number into denary.	
	10000011	
		.[1]
(c)	Convert the following denary integer into 8-bit two's complement.	
	-102	
		[2]
(d)	Convert the following hexadecimal number into denary.	

4E

_____[1]

3	(a)	Describ	be how special purpose registers are used in the fetch stage of the fetch-execute cycl $^\circ$	77789862
			[4]	
	(D)		the address of the Interrupt Service Routine (ISR) is loaded to the Program Counter (PC).	
		В	the processor checks if there is an interrupt.	
		С	when the ISR completes, the processor restores the register contents.	
		D	the register contents are saved.	
		If the in	end of the cycle for the current instruction	
		1116 1116	errupted program continues its execution. [4]	



4 A group of students broadcast a school radio station on a website. They record their sound clips of students broadcast a school radio station on a website. They record their sound clips of students broadcast a school radio station on a website. They record their sound clips of students broadcast a school radio station on a website. They record their sound clips of students broadcast a school radio station on a website. They record their sound clips of students broadcast a school radio station on a website.

(a)	Des	cribe now sampling is used to record the sound clips.
		[3]
(b)	The	students use software to compress the sound clips before emailing them.
	(i)	Circle your chosen method of compression and justify your choice.
		Lossy / Lossless
		Justification:
		[3]
	Stud	dents also email images to the radio station for use on its website.
	The	se are compressed before sending using run-length encoding (RLE).
	(ii)	Explain what is meant by run-length encoding.
	(,	
		[3]



(iii) The following diagrams show:

- the denary colour code that represents each colour
- the first three rows of a bitmap image

Colour symbol	Colour code (denary)
В	153
W	255

	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
0	В	В	В	В	В	В	В	В	В	В	W	W	W	В	В	В
1	В	В	В	В	В	В	В	В	В	W	W	W	W	W	W	В
2	В	В	В	В	В	В	В	W	W	W	W	W	W	W	W	W
								()							
95																

Show how RLE will compress the first three rows of this image.

Row 1:	
Row 2:	
Row 3:	[2



5 Three types of software licensing and four descriptions are shown in the table below.

Put a tick (✓) in each row to match each description to the appropriate type of software licensing.

		Type of software	
Description	Open source	Shareware	Commercial
Software is purchased before it can be used			
Source code comes with the software			
Software is provided free on a trial basis			
The software can be modified by the user			

[4]

6	A team of software engineers is developing a new e-commerce program for a client.
	State three of the principles of the ACM/IEEE Software Engineering Code of Ethics. Illustrate each one, with an example, describing how it will influence their working practices.
	1
	2
	3



		(ь
7 Access to World	Wide Web conten	t uses IP ac	ldressing.
(a) State what	IP stands for.		
			[1
(b) The following	ng table shows fou	r possible IF	Paddresses.
Indicate for	each IP address v	vhether it is	valid or invalid and give a reason.
maioate for	T address v	The state of the s	valid of invalid and give a reason.
Address	Denary / Hexadecimal	Valid or Invalid	Reason
3.2A.6AA.BBBB	Hexadecimal		
2.0.255.1	Denary		
	2 5 y		
6.0.257.6	Denary		
A.78.F4.J8	Hexadecimal		
			[4
(c) Describe tw	vo differences betv	veen public	and private IP addresses.
1			
2			
<u> </u>			[2



- **8** A school stores a large amount of data. This includes student attendance, qualification, articolors contact details. The school's software uses a file-based approach to store this data.
 - (a) The school is considering changing to a DBMS.

(i)	State what DBMS stands for.
	[1]
(ii)	Describe two ways in which the Database Administrator (DBA) could use the DBMS software to ensure the security of the student data.
	1
	2
	[4]
(iii)	A feature of the DBMS software is a query processor.
	Describe how the school secretary could use this software.
	[2]
(iv)	The DBMS has replaced software that used a file-based approach with a relational database.
	Describe how using a relational database has overcome the previous problems associated with a file-based approach.
	[3]



(b) The database of	design has the	ee tables to	store the	classes tha	t students atter	ıd.

STUDENT(StudentID, FirstName, LastName, Year, TutorGroup)
CLASS(ClassID, Subject)
CLASS-GROUP(StudentID, ClassID)

Primary keys are not shown.

There is a one-to-many relationship between CLASS and CLASS-GROUP.

(i)	Describe how this relationship is implemented.						
	[2]						
(ii)	Describe the relationship between CLASS-GROUP and STUDENT.						
	[1]						
(iii)	Write an SQL script to display the <code>StudentID</code> and <code>FirstName</code> of all students who are in the tutor group 10B. Display the list in alphabetical order of <code>LastName</code> .						
	[4]						
(iv)	Write an SQL script to display the ${\tt LastName}$ of all students who attend the class whose ${\tt ClassID}$ is CS1.						
	[4]						



Question 9 begins on page 12.



9 The table shows assembly language instructions for a processor which has one general purpose register, the Accumulator (ACC) and an index register (IX).

Instruction		Explanation				
Op code	Operand					
LDD	<address></address>	Direct addressing. Load the contents of the given address to ACC.				
LDX	<address></address>	Indexed addressing. Form the address from <address> + the contents of the index register. Copy the contents of this calculated address to ACC.</address>				
STO	<address></address>	Store contents of ACC at the given address.				
ADD	<address></address>	Add the contents of the given address to ACC.				
INC	<register></register>	Add 1 to the contents of the register (ACC or IX).				
DEC	<register></register>	Subtract 1 from the contents of the register (ACC or IX).				
CMP	<address></address>	Compare contents of ACC with contents of <address>.</address>				
JPE	<address></address>	Following a compare instruction, jump to <address> if the compare was True.</address>				
JPN	<address></address>	Following a compare instruction, jump to <address> if the compare was False.</address>				
JMP	<address></address>	Jump to the given address.				
OUT		Output to screen the character whose ASCII value is stored in ACC.				
END		Return control to the operating system.				

(a) The diagram shows the current contents of a section of main memory and the index register:

60	0011 0010
61	0101 1101
62	0000 0100
63	1111 1001
64	0101 0101
65	1101 1111
66	0000 1101
67	0100 1101
68	0100 0101
69	0100 0011
	J
• • •	ſ
1000	0110 1001

Index register: 0 0 0 0 1 0 0 0

[1]

(i)	Show the contents of the Accumula	ator after the execution of the instruction	۱:
('')	Office the contents of the Accumula	to alter the exception of the mondellor	٠.

		LDX	Χ (50								
	Accumulator:											
	Show how you obtained y	our answe	r.									
										••••••	•••••	
												[2]
(ii)	Show the contents of the	index regis	ster	after t	he ex	kecuti	on of	the ir	nstruct	tion:		
		DE(C I	ΙX								
	Index register:											



(b) Complete the trace table on the opposite page for the following assembly language program.

50	LDD	100
51	ADD	102
52	STO	103
53	LDX	100
54	ADD	100
55	CMP	101
56	JPE	58
57	JPN	59
58	OUT	
59	INC	IX
60	LDX	98
61	ADD	101
62	OUT	
63	END	
•••		7
100		20
101		100
102		1
103		0

IX (Index Register)

Selected values from the ASCII character set:

ASCII Code	118	119	120	121	122	123	124	125
Character	V	W	х	у	Z	{	l	}



Trace table:

Instruction	Working	ACC		Memory	IX	OUTPUT		
address	space	ACC	100	101	102	103		OUTPUT
			20	100	1	0	1	
50								
51								
52								
53								
54								
55								

16

PLATINUM BUSINESS ACADEM 0777898626

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.