



Cambridge International Examinations Cambridge Ordinary Level

CHEMISTRY 5070/11

Paper 1 Multiple Choice October/November 2017

1 hour

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.


Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.








1 A purple pill is placed in a beaker of water. The beaker is left for several hours.

The diagram shows the appearance of the water when the pill is added and several hours later.




Which statement explains why this change occurs?

- A Diffusion occurs because the pill is coloured.
- **B** Diffusion occurs faster at higher temperatures.
- **C** Diffusion occurs from an area of high concentration to one of lower concentration.
- **D** Gases diffuse faster than liquids.
- **2** The results of two tests on solution **X** are shown.

reagent added	observation on adding a few drops of reagent	observation on adding an excess of reagent
aqueous sodium hydroxide	white precipitate	precipitate dissolves
aqueous ammonia	white precipitate	precipitate remains

Which ion is present in solution **X**?

- **A** Al^{3+}
- B Ca²⁺
- C Cu2
- $\mathbf{D} \quad \mathbf{Z} \mathbf{n}^{2+}$
- **3** Which diagram shows the arrangement of particles inside a balloon containing a mixture of the gases nitrogen and oxygen?






4 A student follows the rate of the reaction between marble chips, CaCO₃, and dilu... ⁰⁷⁷⁷⁸⁹⁸⁶²⁶ hydrochloric acid.

$$CaCO_3 + 2HC1 \rightarrow CaC1_2 + CO_2 + H_2O$$

Which diagrams show apparatus that is suitable for this experiment?



5 Equal masses of methane gas are stored under different conditions.

1 and 3

Under which set of conditions does the methane gas occupy the smallest volume?

C

1 and 4 only

1, 2 and 4

A 0 °C and atmospheric pressure

1 and 2 only

B 0 °C and twice atmospheric pressure

В

- C 30 °C and atmospheric pressure
- **D** 30 °C and twice atmospheric pressure

						4				Р
6	A pa	article of an isot	оре	of sulfur co	ntains 18	neutrons	and 18 e	elec	ctrons.	C
	Wha	at is the symbol	for t	his particle?	>					
	Α	³⁴ ₁₆ S ²⁺	В	³⁴ ₁₆ S	С	$^{34}_{16}S^{2-}$	Г)	³⁶ ₁₆ S	
7	Who	en two elements	s rea	ct together,	a compo	ound is fo	rmed.			
	Whi	ich statement is	corr	ect?						
	Α	Equal masses	of the	e elements	must be	used.				
	В	The compound	sho	ws similar c	hemical	propertie	s to those	e of	the elements.	
	С	The elements r	nust	both be no	n-metals.					
	D	When the elem	ents	react toget	her, ionic	or coval	ent comp	oui	nds form.	
8	Whi	ich statement is	corr	ect for all io	nic comp	ounds?				
	Α	They dissolve in water.								
	В	They are forme	d wh	nen metals	share ele	ctrons w	ith non-m	eta	ıls.	
	С	They conduct e	electr	icity in the i	molten st	ate.				
	D	They conduct e	electr	cicity in the	solid state	e.				
9		en a piece of sium oxide, Na ₂ C		ım is heate	ed in air,	it react	s with ox	κygι	en to form the ionic com	pound
		erms of electron gen?	ıs, w	hich statem	ent corre	ectly expl	ains what	t ha	appens when sodium react	ts with
	A	An oxygen ator	n sh	ares two ele	ectrons w	ith two s	odium ato	oms	S.	
	В	A sodium atom	lose	s two elect	rons whic	ch are tra	nsferred t	to a	an oxygen atom.	
	С	A sodium atom	sha	res its oute	shell ele	ectron wit	h two oxy	/ge	n atoms.	
	D	Two sodium ato	oms	each lose o	ne electr	on which	are both	tra	nnsferred to one oxygen ato	om.
10	The	relative atomic	mas	s of chlorin	e is 35.5.					
	Wha	at is the mass o	f 2 m	oles of chlo	orine gas	?				
	Α	17.75 g	В	35.5 g	С	71 g)	142 g	

11 The empirical formula of a liquid compound is C₂H₄O.

To find the empirical formula, it is necessary to know

- A the density of the compound.
- **B** the percentage composition by mass of the compound.
- **C** the relative molecular mass of the compound.
- **D** the volume occupied by 1 mole of the compound.
- **12** 25.0 g of hydrated copper(II) sulfate crystals are heated to produce anhydrous copper(II) sulfate and water vapour.

$$CuSO_4.5H_2O(s) \rightarrow CuSO_4(s) + 5H_2O(g)$$

What is the mass of anhydrous copper(II) sulfate formed? $[M_f: CuSO_4, 160; H_2O, 18]$

- **A** 9.0 g
- **B** 16.0 g
- **C** 22.5 g
- **D** 25.0 g
- 13 One mole of an organic compound, **Q**, is completely burnt in oxygen and produces exactly three moles of water.

Which compound is **Q**?

- **A** butane, C₄H₁₀
- **B** ethanol, C₂H₅OH
- C propane, C₃H₈
- **D** propanol, C₃H₇OH
- **14** Aluminium is produced by the electrolysis of molten aluminium oxide.

What is the correct equation for the reaction at the positive electrode?

$$A \quad Al \rightarrow Al^{3+} + 3e^{-}$$

$$\mathbf{B} \quad \mathsf{A} l^{3+} + 3 \mathsf{e}^{-} \rightarrow \mathsf{A} l$$

$$\textbf{C} \quad O_2 \ + \ 4e^- \rightarrow \ 2O^{2-}$$

D
$$20^{2-} \rightarrow 0_2 + 4e^{-}$$

When aqueous copper(II) sulfate is electrolysed using copper electrodes, which observations are correct?

	positive electrode	negative electrode	intensity of blue colour of electrolyte
Α	electrode becomes smaller	electrode becomes bigger	constant
В	electrode becomes smaller	gas given off	fades
С	gas given off	electrode becomes bigger	fades
D	gas given off	gas given off	constant

16 Three different solutions were electrolysed using inert electrodes.

solution 1 aqueous sodium chloride

solution 2 concentrated hydrochloric acid

solution 3 dilute sulfuric acid

Which solutions produce hydrogen at the negative electrode?

A 1, 2 and 3

B 1 and 2 only


C 1 only

D 2 and 3 only

17 Under certain conditions nitrogen reacts with oxygen to form N₂O.

$$2N_2(g) + O_2(g) \rightleftharpoons 2N_2O(g)$$

The energy profile diagram for this reaction is shown.



What is the activation energy for the reverse reaction?

A −447 kJ/mol

B -283 kJ/mol

C +141.5 kJ/mol

D +283 kJ/mol



18 The formation of liquid water from hydrogen and oxygen may occur in three stages.

1
$$2H_2(g) + O_2(g) \rightarrow 4H(g) + 2O(g)$$

2
$$4H(g) + 2O(g) \rightarrow 2H_2O(g)$$

$$3 \quad 2H_2O(g) \rightarrow 2H_2O(I)$$

Which stages are endothermic?

19 Sulfur trioxide is produced by the following reaction.

$$2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g)$$
 $\Delta H = -195 \text{ kJ}$

Which change in conditions would produce a greater amount of SO₃ at equilibrium?

- A adding a catalyst
- **B** increasing the pressure
- **C** increasing the temperature
- **D** removing some SO₂ and O₂
- 20 A chemist investigated the rate of the reaction between ethene and hydrogen using a nickel catalyst.

$$C_2H_4(g) + H_2(g) \xrightarrow{\qquad Ni \qquad} C_2H_6(g)$$

The chemist carried out three experiments under different conditions.

experiment number	pressure / atmospheres	particle size of catalyst
1	1	powder
2	0.5	powder
3	1	large pieces

Which row is correct?

	comparison of the rates of experiments 1 and 2	comparison of the rates of experiments 1 and 3
Α	1 greater than 2	1 greater than 3
В	1 greater than 2	3 greater than 1
С	2 greater than 1	1 greater than 3
D	2 greater than 1	3 greater than 1

- **21** Which change always occurs when a metal atom is oxidised?
 - A It becomes positively charged.
 - **B** It combines with oxygen.
 - **C** It gains an electron.
 - **D** It gains a proton.
- 22 Which statement is correct?
 - A Ammonia is produced when an ammonium salt is warmed with a dilute acid.
 - **B** Amphoteric oxides are oxides of certain metals.
 - **C** A neutral solution does not contain hydroxide ions.
 - **D** Soil with a high pH can be neutralised by adding lime, Ca(OH)₂.
- 23 Which reagent can be used to react with dilute hydrochloric acid to prepare silver chloride?
 - A aqueous silver nitrate
 - B solid silver
 - C solid silver carbonate
 - **D** solid silver oxide
- **24** The table shows some symbols and their meanings.

symbol	meaning
\rightarrow	reaction goes to completion
\rightleftharpoons	reaction is reversible
cat	catalyst required for reaction
cat	no catalyst is required for reaction

Which symbols should be used in the equation for the Haber process?

 $A \rightarrow \text{and cat}$ $B \rightarrow \text{and } \frac{\text{cat}}{\text{cat}}$ $C \rightleftharpoons \text{and cat}$ $D \rightleftharpoons \text{and } \frac{\text{cat}}{\text{cat}}$



- 25 Nitrogenous fertilisers can cause eutrophication to occur in rivers. Eutrophication involves the five stages listed.
 - 1 The fertiliser is washed into the river.
 - 2 Oxygen levels become depleted in the river.
 - 3 Plants die.
 - 4 Plants begin to decay.
 - 5 Plants in the river grow at an increased rate.

In which order do these five stages occur during eutrophication?

	first			-	last
Α	1	2	4	3	5
В	1	2	5	4	3
С	1	5	2	3	4
D	1	5	3	4	2

- 26 Three suggested uses of sulfuric acid are listed.
 - 1 as battery acid
 - 2 to make ammonia from ammonium salts
 - 3 to make fertilisers

Which are correct uses of sulfuric acid?

- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- 27 The total number of electrons in one atom of element Q is 17 and in one atom of element R is 19.

Which statement about elements Q and R is correct?


- **A** Q and R react together to form a covalent compound.
- **B** Q forms positive ions.
- **C** R has more outer shell electrons than Q.
- **D** R is more metallic than Q.

28 Which row shows the correct catalyst for each industrial process?

	manufacture of sulfuric acid	manufacture of ammonia	manufacture of margarine
Α	nickel	iron	vanadium(V) oxide
В	nickel	$vanadium(V) \ oxide$	iron
С	$vanadium(V) \ oxide \\$	iron	nickel
D	vanadium(V) oxide	nickel	iron

- **29** Which metal is attached to underground pipes made of iron, to provide sacrificial protection from corrosion?
 - **A** Ag
- **B** Cu
- **C** Mg
- **D** Pb
- **30** The diagram shows a circuit used to test the electrical conductivity of strips of solid materials. If the material conducts, the bulb lights.

Strips of brass, nylon and zinc are each tested separately by connecting them into the circuit.



For which strips does the bulb light?

- A brass, nylon and zinc
- **B** brass and nylon only
- **C** nylon and zinc only
- D zinc and brass only




31 Octane, C_8H_{18} , is a hydrocarbon that undergoes combustion in a petrol engine.

...
$$W$$
... $C_8H_{18} + ...X$... $O_2 \rightarrow ...Y$... $CO_2 + ...Z$... H_2O

Which row shows the figures needed to balance the equation?

	W	X	Y	Z
Α	1	8	8	9
В	1	17	8	9
С	2	16	8	9
D	2	25	16	18

32 The diagram shows part of the carbon cycle.



What are processes P, Q and R?

	Р	Q	R
Α	combustion	photosynthesis	respiration
В	photosynthesis	combustion	respiration
С	respiration	combustion	photosynthesis
D	respiration	photosynthesis	combustion

33 CFC compounds were used as aerosol propellants. The structure of one CFC compound shown.

Which element in this compound causes a depletion of ozone in the atmosphere?

- A carbon
- **B** chlorine
- C fluorine
- **D** hydrogen
- 34 What is removed or destroyed when water is desalinated to make it drinkable?
 - A bad odours
 - B harmful bacteria
 - C sodium chloride
 - **D** solid particles
- **35** Compounds **S** and **T** both contain two elements only. The compounds have the following properties.
 - They both burn in air to form carbon dioxide and water only.
 - They both react with chlorine by substitution.
 - S has a higher boiling point than T.

What could compounds **S** and **T** be?

	S	T
Α	ethane	propane
В	ethene	propene
С	propane	ethane
D	propene	ethene

36 Which row correctly describes alkenes?

	general formula	result when shaken with aqueous bromine
Α	C_nH_{2n+2}	no change
В	C_nH_{2n+2}	the aqueous bromine is decolourised
С	C_nH_{2n}	no change
D	C_nH_{2n}	the aqueous bromine is decolourised

37 The table contains statements about processes by which ethanol is produced on a large scale from ethene and from glucose.

	from ethene	from glucose
1	reaction is faster at 300°C than at 200°C	reaction is faster at 100 °C than at 30 °C
2	produces pure ethanol	produces a dilute aqueous solution of ethanol
3	uses a catalyst	uses a catalyst
4	uses steam	produces carbon dioxide

Which rows are correct?

- **A** 1, 2 and 3

- **B** 1 and 4 **C** 2, 3 and 4 **D** 2 and 3 only

38 The structure of an ester is shown.

What is the name of this ester?

- ethyl propanoate
- methyl propanoate
- C propyl ethanoate
- propyl methanoate

39 Which compound has a pH of less than 7 in aqueous solution?



40 The diagram shows the repeat unit of a polymer.

Which row correctly identifies the monomer and type of polymerisation involved in making this polymer?

	monomer	type of polymerisation
A	H — C — C — H — C 2 H 5	addition
В	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	condensation
С	H — C — H — C — C H ₃	addition
D	H — C — CH — CH 3	condensation

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.



The Periodic Table of Elements

	\ \	2	He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	牊	radon			
	II/				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	н	iodine 127	85	Ą	astatine -			
	IN				8	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Te	tellurium 128	84	Ъ	polonium –	116	^	livermorium –
	^				7	Z	nitrogen 14	15	Ф	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>B</u>	bismuth 209			
	2				9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium -
	III				2	В	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	р О	cadmium 112	80	Нg	mercury 201	112	S	copemicium -
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group											28	Z	nickel 59	46	Pq	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
Gr											27	ပိ	cobalt 59	45	格	rhodium 103	77	ľ	iridium 192	109	Μţ	meitnerium -
		- :	I	hydrogen 1							26	Pe	iron 56			ruthenium 101		Os	osmium 190	108	Hs	hassium
											25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
					_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>Б</u>	tantalum 181	105		dubnium -
						atc	re				22	j	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿉	rutherfordium -
											21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_				8	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Вb	rubidium 85	55	S	caesium 133	87	ቷ	francium -

7.1	Γn	Intetium	175	103	۲	lawrencium	I
					%		
69	H	thulium	169	101	Md	mendelevium	1
89	щ	erbinm	167	100	Fm	ferminm	ı
29	웃	holmium	165	66	Es	einsteinium	-
99	۵	dysprosium	163	86	ర్	califomium	Ι
65	Д	terbium	159	26	益	berkelium	_
64	В	gadolinium	157	96	CB	curium	ı
63	Ш	europium	152	98	Am	americium	I
62	Sm	samarium	150	94	Pu	plutonium	I
61	Pm	promethium	1	93	dΝ	neptunium	_
09	PZ	neodymium	144	92	\supset	uranium	238
59	Ţ	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	Ч	thorium	232
22	Гa	lanthanum	139	88	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).